

CAT6 Right Angle to Locking Straight Patch Cord Cables

<https://www.vpi.us/cat6-angled-patch-cables/cat6-right-angle-locking-straight-1988>

- Use to connect a network card to any of the following:
 - 10GBASE-T Gigabit Ethernet
 - 1000BASE-T Gigabit Ethernet
 - 100BASE-TX Fast Ethernet
 - 10BASE-T Ethernet
- Locking boot on the straight connector prevents the Ethernet cable from being unplugged.
 - To lock a connector, push the lock until it clicks.
 - Each cable includes a key to unlock the RJ45 connector.
- Right angle connector useful in tight fit situations.
 - When the plug tab is on top, the cable extends to the right.
- Strain relief boots prevent excessive bending while reducing stress on the cable.
 - Snagless boot on straight end.
- Unshielded cable wired straight through.
- Wire Gauge: 24AWG
- Complies with TIA/EIA 568B standard.
- Available lengths: 2/4 feet.
- Color: Red



CAT6-RAS-LOCK-xx-RED

VPI's CAT6 Right Angle to Locking Straight Patch Cables feature a right angle connector end that is ideal for confined spaces, and a locking straight connector end that prevents the patch cord from being unplugged from a critical port while in use.

Specifications

- 24AWG stranded UTP CAT6
- 8x8 (RJ45) plugs.
- Exterior jacket: PVC
- Cable diameter: 0.24 in (6.00 mm) ± 0.15mm
- 50 micron gold plated contacts
- Complies with TIA/EIA 568B standard.
- RoHS compliant.
- Operating Temperature: -4 to 167°F (-20 to 75°C)
- Available lengths: 2/4 feet.
- Color: Red

