

CAT6a Right Angle to Straight Thin Shielded Patch Cords

<https://www.vpi.us/cat6a-shielded-angled-patch-cables/cat6a-right-angle-thin-ftp-cables-2003>

- Thinner and lighter than standard CAT6A shielded cables.
- Snagless strain relief boots prevent excessive bending while reducing stress on the cable.
- Foil shield with drain wire protects signals from external noise.
- Patch cables have stranded copper conductors for flexibility – great for frequent changes that occur at the wall outlet or patch panel.
- Right angle configuration is useful in tight fit situations.
 - When the plug tab is on top, the cable extends to the right.
- Use for 10-Gigabit Ethernet network connections such as patch panels, switches, computers, and routers.
- Supports full- and half-duplex operation.
- Available lengths: 2/6/9/15 feet.



CAT6A-RAS-THN-x-BLACK-SHLD

The CAT6a Right Angle to Straight Thin Shielded Patch Cords are only 0.177" in diameter and ideal for high density datacenter applications, behind desks, or wall connections.

Specifications

- 30AWG stranded FTP shielded CAT6a
- 8x8 (RJ45) plugs
- Exterior jacket: PVC
- Outer Diameter (OD): 0.177 in (4.5mm ± 0.3mm)
- 50-micron gold plated contacts
- Complies with TIA/EIA 568B standard.
- Available lengths: 2/6/9/15 feet
- Color: Black

Environmental

- Operating temperature: up to 140°F (60°C)

Regulatory Approvals

- RoHS

